Pain 131 (2007) 351–353

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 131 (2007)

Abhyankar, S.S., see Taylor, B.K., **131** 83
Affleck, G., see Connelly, M., **131** 162
Andersen, S.D., see Frøkjær, J.B., **131** 320
Anderson, T., see Connelly, M., **131** 162
Arendt-Nielsen, L., see Frøkjær, J.B., **131** 320
Arendt-Nielsen, L., see Jespersen, A., **131** 57
Ashley Blackshaw, L., see Rayner, C.K., **131** 239

Baldi, I., see Mongini, F., **131** 106
Ballantyne, J.C., LaForge, K.S., Erratum to "Opioid dependence and addiction during opioid treatment of chronic pain" [Pain 129 (2007) 235–255], **131** 350
Barker, F.G., Quality of life and individual treatment choice in trigeminal neuralgia, **131** 234
Baron, R., see Wasner, G., **131** 219
Basbaum, A.I., see Shields, S.D., **131** 8
Battié, M.C., Videman, T., Levalahti, E., Gill, K., Kaprio, J., Heritability of low back pain and the role of disc degeneration, **131** 272
Berde, C.B., see Sethna, N.F., **131** 153
Bingel, U., Schoell, E., Herken, W., Büchel, C., May, A., Habituation to painful stimulation involves the antinociceptive system, **131** 21
Bishop, T., Hewson, D.W., Yip, P.K., Fahey, M.S., Dawbarn, D., Young, A.R., McMahon, S.B., Characterisation of ultraviolet-B-induced inflammation as a model of hyperalgesia in the rat, **131** 70
Bliddal, H., see Jespersen, A., **131** 57
Blyth, F.M., Macfarlane, G.J., Nicholas, M.K., Response to Ms. Nielsen's Letter to the Editor of Pain, **131** 349
Boersma, K., see Roelofs, J., **131** 181
Boston, J.R., see Rudy, T.E., **131** 293
Brockmann, M., see Kut, E., **131** 191
Büchel, C., see Bingel, U., **131** 21

Candia, V., see Kut, E., **131** 191
Cappellacci, L., see Maione, S., **131** 281
Carstens, E., see Yosipovitch, G., **131** 4
Ceccarelli, M., see Mongini, F., **131** 106
Chung, J.M., see Gao, X., **131** 262
Chung, K., see Gao, X., **131** 262
Churi, S.B., see Taylor, B.K., **131** 83
Ciccone, G., see Mongini, F., **131** 106
Connelly, M., Keefe, F.J., Affleck, G., Lumley, M.A., Anderson, T., Waters, S., Effects of day-to-day affect regulation on the pain experience of patients with rheumatoid arthritis, **131** 162
Croft, P., Dunn, K.M., Von Korff, M., Chronic pain syndromes: You can't have one without another, **131** 237
Cruccu, G., see Truini, A., **131** 341
Cummins, T.R., Sheets, P.L., Waxman, S.G., The roles of sodium channels in nociception: Implications for mechanisms of pain, **131** 243

Danneskiold-Samsoe, B., see Jespersen, A., **131** 57
Dawbarn, D., see Bishop, T., **131** 70
de Novellis, V., see Maione, S., **131** 281
Defrin, R., see Ofek, H., **131** 330
DeLongis, A., see Holtzman, S., **131** 202
Devor, M., David Niv 1950–2007, **131** 231
Diesch, E., Flor, H., Alteration in the response properties of primary somatosensory cortex related to differential aversive Pavlovian conditioning, **131** 171
Drewes, A.M., see Frøkjær, J.B., **131** 320
Dreyer, L., see Jespersen, A., **131** 57
Dunn, K.M., see Croft, P., **131** 237

Eccleston, C., McCracken, L.M., Jordan, A., Sleed, M., Development and preliminary psychometric evaluation of the parent report version of the Bath Adolescent Pain Questionnaire (BAPQ-P): A multidimensional parent report instrument to assess the impact of chronic pain on adolescents, **131** 48
Eccleston, C., see Gauntlett-Gilbert, J., **131** 132
Ejskjær, N., see Frøkjær, J.B., **131** 320
Englund, E., see Wiesinger, B., **131** 311

Fahey, M.S., see Bishop, T., **131** 70
Ferreira, M.L., Ferreira, P.H., Latimer, J., Herbert, R.D., Hodges, P.W., Jennings, M.D., Maher, C.G., Refshauge, K.M., Comparison of general exercise, motor control exercise and spinal manipulative therapy for chronic low back pain: A randomized trial, **131** 31
Ferreira, P.H., see Ferreira, M.L., **131** 31
Ferrero, L., see Mongini, F., **131** 106
Flor, H., see Diesch, E., **131** 171
Folkers, G., see Kut, E., **131** 191
Franchetti, P., see Maione, S., **131** 281
Frings-Dresen, M.H.W., see Roelofs, J., **131** 181
Frøkjær, J.B., Andersen, S.D., Ejskjær, N., Funch-Jensen, P., Arendt-Nielsen, L., Gregersen, H., Drewes, A.M., Gut sensations in diabetic autonomic neuropathy, **131** 320
Funch-Jensen, P., see Frøkjær, J.B., **131** 320

Galeotti, F., see Truini, A., **131** 341
Gao, X., Kim, H.K., Chung, J.M., Chung, K., Reactive oxygen species (ROS) are involved in enhancement of NMDA-receptor phosphorylation in animal models of pain, **131** 262
Garcia-Larrea, L., see Truini, A., **131** 341
Gauntlett-Gilbert, J., see McCracken, L.M., **131** 63
Gauntlett-Gilbert, J., Eccleston, C., Disability in adolescents with chronic pain: Patterns and predictors across different domains of functioning, **131** 132
Gill, K., see Battié, M.C., **131** 272
Girdler, S.S., see Mechlin, B., **131** 142
Goossens, M., see Vangronsveld, K., **131** 258

doi:10.1016/S0304-3959(07)00494-0

Goossens, M., see Roelofs, J., **131** 181
Graven-Nielsen, T., see Jespersen, A., **131** 57
Gregersen, H., see Frøkjær, J.B., **131** 320
Grifantini, M., see Maione, S., **131** 281
Grunnet-Nilsson, N., see Lauridsen, H.H., **131** 112

Handwerker, H., see Jørum, E., **131** 228
Hartvigsen, J., see Lauridsen, H.H., **131** 112
Herbert, R.D., see Ferreira, M.L., **131** 31
Herken, W., see Bingel, U., **131** 21
Hewson, D.W., see Bishop, T., **131** 70
Hodges, P.W., see Ferreira, M.L., **131** 31
Holtzman, S., DeLongis, A., One day at a time: The impact of daily satisfaction with spouse responses on pain, negative affect and catastrophizing among individuals with rheumatoid arthritis, **131** 202
Horowitz, M., see Rayner, C.K., **131** 239

Jennings, M.D., see Ferreira, M.L., **131** 31
Jensen, M.P., Turner, J.A., Romano, J.M., Changes after multidisciplinary pain treatment in patient pain beliefs and coping are associated with concurrent changes in patient functioning, **131** 38
Jespersen, A., Dreyer, L., Kendall, S., Graven-Nielsen, T., Arendt-Nielsen, L., Bliddal, H., Danneskiold-Samsoe, B., Computerized cuff pressure algometry: A new method to assess deep-tissue hypersensitivity in fibromyalgia, **131** 57
Johnson, M., Martinson, M.S., Rebuttal to comments by Drs. Novak and Nemeth, **131** 229
Jones, K.L., see Rayner, C.K., **131** 239
Jordan, A., see Eccleston, C., **131** 48
Jørum, E., Handwerker, H., Schmelz, M., Response to the "Letter to the Editor of Pain" by Prof. J. Ochoa, **131** 228

Kang, J.X., see Sung, B., **131** 121
Kaprio, J., see Battié, M.C., **131** 272
Kay, E.J., see Spatz, A.L., **131** 302
Keefe, F.J., Porter, L., Pain catastrophizing in the context of satisfaction with spousal responses: New perspectives and new opportunities, **131** 1
Keefe, F.J., see Connelly, M., **131** 162
Kendall, S., see Jespersen, A., **131** 57
Kim, H.K., see Gao, X., **131** 262
Korsholm, L., see Lauridsen, H.H., **131** 112
Kriedt, C.L., see Taylor, B.K., **131** 83
Kut, E., Schaffner, N., Wittwer, A., Candia, V., Brockmann, M., Storck, C., Folkers, G., Changes in self-perceived role identity modulate pain perception, **131** 191

LaCroix-Fralish, M.L., Ledoux, J.B., Mogil, J.S., The *Pain Genes Database*: An interactive web browser of pain-related transgenic knockout studies, **131** 3
LaForge, K.S., see Ballantyne, J.C., **131** 350
Latimer, J., see Ferreira, M.L., **131** 31
Lauridsen, H.H., Hartvigsen, J., Korsholm, L., Grunnet-Nilsson, N., Manniche, C., Choice of external criteria in back pain research: Does it matter? Recommendations based on analysis of responsiveness, **131** 112
Ledoux, J.B., see LaCroix-Fralish, M.L., **131** 3
Levalahti, E., see Battié, M.C., **131** 272
Lieber, S.J., see Rudy, T.E., **131** 293
Lim, G., see Sung, B., **131** 121
Lim, G., see Wang, S., **131** 96
Lim, J.-A., see Sung, B., **131** 121
Linton, S., see Vangronsveld, K., **131** 258
Lumley, M.A., see Connelly, M., **131** 162
Luongo, L., see Maione, S., **131** 281

Macfarlane, G.J., see Blyth, F.M., **131** 349
Maher, C.G., see Ferreira, M.L., **131** 31
Maione, S., de Novellis, V., Cappellacci, L., Palazzo, E., Vita, D., Luongo, L., Stella, L., Franchetti, P., Marabese, I., Rossi, F., Grifantini, M., The antinociceptive effect of 2-chloro-2′-*C*-methyl-N^6-cyclopentyladenosine (2′-Me-CCPA), a highly selective adenosine A_1 receptor agonist, in the rat, **131** 281
Maixner, W., see Mechlin, B., **131** 142
Malker, H., see Wiesinger, B., **131** 311
Manniche, C., see Lauridsen, H.H., **131** 112
Mao, J., see Wang, S., **131** 96
Mao, J., see Sung, B., **131** 121
Mao, J., see Wang, S., **131** 96
Marabese, I., see Maione, S., **131** 281
Martinson, M.S., see Johnson, M., **131** 229
May, A., see Bingel, U., **131** 21
Mazario, J., see Shields, S.D., **131** 8
McCracken, L.M., Gauntlett-Gilbert, J., Vowles, K.E., The role of mindfulness in a contextual cognitive-behavioral analysis of chronic pain-related suffering and disability, **131** 63
McCracken, L.M., see Eccleston, C., **131** 48
McGlone, F., see Yosipovitch, G., **131** 4
McMahon, S.B., see Bishop, T., **131** 70
Mechlin, B., Morrow, A.L., Maixner, W., Girdler, S.S., The relationship of allopregnanolone immunoreactivity and HPA-axis measures to experimental pain sensitivity: Evidence for ethnic differences, **131** 142
Meier, P.M., see Sethna, N.F., **131** 153
Mogil, J.S., see LaCroix-Fralish, M.L., **131** 3
Mongini, F., Ciccone, G., Ceccarelli, M., Baldi, I., Ferrero, L., Muscle tenderness in different types of facial pain and its relation to anxiety and depression: A cross-sectional study on 649 patients, **131** 106
Morrow, A.L., see Mechlin, B., **131** 142

Naleschinski, D., see Wasner, G., **131** 219
Nemeth, W.C., see Novak, S., **131** 228
Nicholas, M.K., see Blyth, F.M., **131** 349
Nielsen, M., Comment on Blyth et al. The contribution of psychosocial factors to the development of chronic pain: The key to better outcomes for patients? Pain 2007;129:8–11, **131** 348
Novak, S., Nemeth, W.C., How clinically relevant is a meta-analysis of electrical nerve stimulation when based on heterogeneous disease states?, **131** 228

Ochoa, J.L., Letter to the Editor of Pain on Jørum et al: Catecholamine-induced excitation of nociceptors in sympathetically maintained pain; Pain 2007;127:296–301, **131** 226
Ofek, H., Defrin, R., The characteristics of chronic central pain after traumatic brain injury, **131** 330

Palazzo, E., see Maione, S., **131** 281
Peters, M., see Vangronsveld, K., **131** 258
Petersen, K.L., Rowbotham, M.C., Relief of post-herpetic neuralgia by surgical removal of painful skin: 5 years later, **131** 214
Porter, L., see Keefe, F.J., **131** 1

Rayner, C.K., Jones, K.L., Ashley Blackshaw, L., Horowitz, M., The diabetic gut – both aching and unfeeling?, **131** 239
Refshauge, K.M., see Ferreira, M.L., **131** 31
Roelofs, J., Sluiter, J.K., Frings-Dresen, M.H.W., Goossens, M., Thibault, P., Boersma, K., Vlaeyen, J.W.S., Fear of movement and (re)injury in chronic musculoskeletal pain: Evidence for an invariant two-factor model of the Tampa Scale for Kinesiophobia across pain diagnoses and Dutch, Swedish, and Canadian samples, **131** 181
Romano, J.M., see Jensen, M.P., **131** 38
Rossi, F., see Maione, S., **131** 281
Rowbotham, M.C., see Petersen, K.L., **131** 214

Rudy, T.E., Weiner, D.K., Lieber, S.J., Slaboda, J., Boston, J.R., The impact of chronic low back pain on older adults: A comparative study of patients and controls, **131** 293

Schaffner, N., see Kut, E., **131** 191
Schmelz, M., see Jørum, E., **131** 228
Schoell, E., see Bingel, U., **131** 21
Sethna, N.F., Meier, P.M., Zurakowski, D., Berde, C.B., Cutaneous sensory abnormalities in children and adolescents with complex regional pain syndromes, **131** 153
Sheets, P.L., see Cummins, T.R., **131** 243
Shields, S.D., Mazario, J., Skinner, K., Basbaum, A.I., Anatomical and functional analysis of aquaporin 1, a water channel in primary afferent neurons, **131** 8
Skinner, K., see Shields, S.D., **131** 8
Slaboda, J., see Rudy, T.E., **131** 293
Sleed, M., see Eccleston, C., **131** 48
Sluiter, J.K., see Roelofs, J., **131** 181
Spatz, A.L., Zakrzewska, J.M., Kay, E.J., Decision analysis of medical and surgical treatments for trigeminal neuralgia: How patient evaluations of benefits and risks affect the utility of treatment decisions, **131** 302
Stella, L., see Maione, S., **131** 281
Storck, C., see Kut, E., **131** 191
Sung, B., Wang, S., Zhou, B., Lim, G., Yang, L., Zeng, Q., Lim, J.-A., Wang, J.D., Kang, J.X., Mao, J., Altered spinal arachidonic acid turnover after peripheral nerve injury regulates regional glutamate concentration and neuropathic pain behaviors in rats, **131** 121
Sung, B., see Wang, S., **131** 96

Taylor, B.K., Abhyankar, S.S., Vo, N.T., Kriedt, C.L., Churi, S.B., Urban, J.H., Neuropeptide Y acts at Y1 receptors in the rostral ventral medulla to inhibit neuropathic pain, **131** 83
Tenovuo, O., Central pain after brain trauma – A neglected problem in neglected victims, **131** 241
Thibault, P., see Roelofs, J., **131** 181
Truini, A., Galeotti, F., Cruccu, G., Garcia-Larrea, L., Inhibition of cortical responses to Aδ inputs by a preceding C-related response: Testing the "first come, first served" hypothesis of cortical laser evoked potentials, **131** 341
Turner, J.A., see Jensen, M.P., **131** 38

Urban, J.H., see Taylor, B.K., **131** 83

Vangronsveld, K., Peters, M., Goossens, M., Linton, S., Vlaeyen, J., Applying the fear-avoidance model to the chronic whiplash syndrome, **131** 258
Videman, T., see Battié, M.C., **131** 272
Vita, D., see Maione, S., **131** 281
Vlaeyen, J., see Vangronsveld, K., **131** 258
Vlaeyen, J.W.S., see Roelofs, J., **131** 181
Vo, N.T., see Taylor, B.K., **131** 83
Von Korff, M., see Croft, P., **131** 237
Vowles, K.E., see McCracken, L.M., **131** 63

Wang, J.D., see Sung, B., **131** 121
Wang, S., Lim, G., Mao, J., Sung, B., Yang, L., Mao, J., Central glucocorticoid receptors regulate the upregulation of spinal cannabinoid-1 receptors after peripheral nerve injury in rats, **131** 96
Wang, S., see Sung, B., **131** 121
Wänman, A., see Wiesinger, B., **131** 311
Wasner, G., Naleschinski, D., Baron, R., A role for peripheral afferents in the pathophysiology and treatment of at-level neuropathic pain in spinal cord injury? A case report, **131** 219
Waters, S., see Connelly, M., **131** 162
Waxman, S.G., see Cummins, T.R., **131** 243
Weiner, D.K., see Rudy, T.E., **131** 293
Wiesinger, B., Malker, H., Englund, E., Wänman, A., Back pain in relation to musculoskeletal disorders in the jaw-face: A matched case–control study, **131** 311
Wittwer, A., see Kut, E., **131** 191

Yang, L., see Sung, B., **131** 121
Yang, L., see Wang, S., **131** 96
Yip, P.K., see Bishop, T., **131** 70
Yosipovitch, G., Carstens, E., McGlone, F., Chronic itch and chronic pain: Analogous mechanisms, **131** 4
Young, A.R., see Bishop, T., **131** 70

Zakrzewska, J.M., see Spatz, A.L., **131** 302
Zeng, Q., see Sung, B., **131** 121
Zhou, B., see Sung, B., **131** 121
Zurakowski, D., see Sethna, N.F., **131** 153

Pain 131 (2007) 354–359

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 131 (2007)

Acceptance
The role of mindfulness in a contextual cognitive-behavioral analysis of chronic pain-related suffering and disability, **131**, 63

Aδ
Inhibition of cortical responses to Aδ inputs by a preceding C-related response: Testing the "first come, first served" hypothesis of cortical laser evoked potentials, **131**, 341

Adenosine subtype A_1 receptor
The antinociceptive effect of 2-chloro-2′-*C*-methyl-N^6-cyclopentyl-adenosine (2′-Me-CCPA), a highly selective adenosine A_1 receptor agonist, in the rat, **131**, 281

Adolescent
Development and preliminary psychometric evaluation of the parent report version of the Bath Adolescent Pain Questionnaire (BAPQ-P): A multidimensional parent report instrument to assess the impact of chronic pain on adolescents, **131**, 48

Adolescent
Disability in adolescents with chronic pain: Patterns and predictors across different domains of functioning, **131**, 132

Adolescents
Cutaneous sensory abnormalities in children and adolescents with complex regional pain syndromes, **131**, 153

Affect regulation
Effects of day-to-day affect regulation on the pain experience of patients with rheumatoid arthritis, **131**, 162

African Americans
The relationship of allopregnanolone immunoreactivity and HPA-axis measures to experimental pain sensitivity: Evidence for ethnic differences, **131**, 142

Algometry
Computerized cuff pressure algometry: A new method to assess deep-tissue hypersensitivity in fibromyalgia, **131**, 57

Allodynia
Central glucocorticoid receptors regulate the upregulation of spinal cannabinoid-1 receptors after peripheral nerve injury in rats, **131**, 96

Allodynia
Neuropeptide Y acts at Y1 receptors in the rostral ventral medulla to inhibit neuropathic pain, **131**, 83

Allodynia
Relief of post-herpetic neuralgia by surgical removal of painful skin: 5 years later, **131**, 214

Allopregnanolone
The relationship of allopregnanolone immunoreactivity and HPA-axis measures to experimental pain sensitivity: Evidence for ethnic differences, **131**, 142

Analgesia
The *Pain Genes Database*: An interactive web browser of pain-related transgenic knockout studies, **131**, 3

Analgesics
Characterisation of ultraviolet-B-induced inflammation as a model of hyperalgesia in the rat, **131**, 70

Antinociception
Habituation to painful stimulation involves the antinociceptive system, **131**, 21

Antinociception
The antinociceptive effect of 2-chloro-2′-*C*-methyl-N^6-cyclopentyl-adenosine (2′-Me-CCPA), a highly selective adenosine A_1 receptor agonist, in the rat, **131**, 281

Anxiety
Muscle tenderness in different types of facial pain and its relation to anxiety and depression: A cross-sectional study on 649 patients, **131**, 106

AQP
Anatomical and functional analysis of aquaporin 1, a water channel in primary afferent neurons, **131**, 8

Arachidonic acid
Altered spinal arachidonic acid turnover after peripheral nerve injury regulates regional glutamate concentration and neuropathic pain behaviors in rats, **131**, 121

Arthritis
Effects of day-to-day affect regulation on the pain experience of patients with rheumatoid arthritis, **131**, 162

Assessment
Development and preliminary psychometric evaluation of the parent report version of the Bath Adolescent Pain Questionnaire (BAPQ-P): A multidimensional parent report instrument to assess the impact of chronic pain on adolescents, **131**, 48

At-level neuropathic pain
A role for peripheral afferents in the pathophysiology and treatment of at-level neuropathic pain in spinal cord injury? A case report, **131**, 219

Attributions
Changes after multidisciplinary pain treatment in patient pain beliefs and coping are associated with concurrent changes in patient functioning, **131**, 38

Autonomic neuropathy
Gut sensations in diabetic autonomic neuropathy, **131**, 320

Back pain
Comparison of general exercise, motor control exercise and spinal manipulative therapy for chronic low back pain: A randomized trial, **131**, 31

Back pain
Back pain in relation to musculoskeletal disorders in the jaw-face: A matched case–control study, **131**, 311

Balloon compression
Decision analysis of medical and surgical treatments for trigeminal neuralgia: How patient evaluations of benefits and risks affect the utility of treatment decisions, **131**, 302

doi:10.1016/S0304-3959(07)00495-2

Beliefs
Changes after multidisciplinary pain treatment in patient pain beliefs and coping are associated with concurrent changes in patient functioning, **131**, 38
Bioinformatic
The *Pain Genes Database*: An interactive web browser of pain-related transgenic knockout studies, **131**, 3
Brain responses
Inhibition of cortical responses to Aδ inputs by a preceding C-related response: Testing the "first come, first served" hypothesis of cortical laser evoked potentials, **131**, 341
Cannabinoid receptor
Central glucocorticoid receptors regulate the upregulation of spinal cannabinoid-1 receptors after peripheral nerve injury in rats, **131**, 96
Capsaicin
A role for peripheral afferents in the pathophysiology and treatment of at-level neuropathic pain in spinal cord injury? A case report, **131**, 219
Central pain
The characteristics of chronic central pain after traumatic brain injury, **131**, 330
Central sensitization
Gut sensations in diabetic autonomic neuropathy, **131**, 320
Central sensitization
Reactive oxygen species (ROS) are involved in enhancement of NMDA-receptor phosphorylation in animal models of pain, **131**, 262
C-fibres
Inhibition of cortical responses to Aδ inputs by a preceding C-related response: Testing the "first come, first served" hypothesis of cortical laser evoked potentials, **131**, 341
Children
Cutaneous sensory abnormalities in children and adolescents with complex regional pain syndromes, **131**, 153
Children
Disability in adolescents with chronic pain: Patterns and predictors across different domains of functioning, **131**, 132
Chronic low back pain
The impact of chronic low back pain on older adults: A comparative study of patients and controls, **131**, 293
Chronic pain
Changes after multidisciplinary pain treatment in patient pain beliefs and coping are associated with concurrent changes in patient functioning, **131**, 38
Chronic pain
Development and preliminary psychometric evaluation of the parent report version of the Bath Adolescent Pain Questionnaire (BAPQ-P): A multidimensional parent report instrument to assess the impact of chronic pain on adolescents, **131**, 48
Chronic pain
Disability in adolescents with chronic pain: Patterns and predictors across different domains of functioning, **131**, 132
Chronic pain
One day at a time: The impact of daily satisfaction with spouse responses on pain, negative affect and catastrophizing among individuals with rheumatoid arthritis, **131**, 202
Chronic pain
The characteristics of chronic central pain after traumatic brain injury, **131**, 330
Chronic pain
The role of mindfulness in a contextual cognitive-behavioral analysis of chronic pain-related suffering and disability, **131**, 63
Classical conditioning
Alteration in the response properties of primary somatosensory cortex related to differential aversive Pavlovian conditioning, **131**, 171
Clinical trial
Choice of external criteria in back pain research: Does it matter? Recommendations based on analysis of responsiveness, **131**, 112
Co-morbidity
Back pain in relation to musculoskeletal disorders in the jaw-face: A matched case–control study, **131**, 311
Complex regional pain syndrome
Cutaneous sensory abnormalities in children and adolescents with complex regional pain syndromes, **131**, 153
Contextual cognitive-behavioral therapy
The role of mindfulness in a contextual cognitive-behavioral analysis of chronic pain-related suffering and disability, **131**, 63
Coping
Changes after multidisciplinary pain treatment in patient pain beliefs and coping are associated with concurrent changes in patient functioning, **131**, 38
Daily diary
Effects of day-to-day affect regulation on the pain experience of patients with rheumatoid arthritis, **131**, 162
Daily process methodology
One day at a time: The impact of daily satisfaction with spouse responses on pain, negative affect and catastrophizing among individuals with rheumatoid arthritis, **131**, 202
Decision analysis
Decision analysis of medical and surgical treatments for trigeminal neuralgia: How patient evaluations of benefits and risks affect the utility of treatment decisions, **131**, 302
Decision making
Decision analysis of medical and surgical treatments for trigeminal neuralgia: How patient evaluations of benefits and risks affect the utility of treatment decisions, **131**, 302
Deep tissue
Computerized cuff pressure algometry: A new method to assess deep-tissue hypersensitivity in fibromyalgia, **131**, 57
Depression
Muscle tenderness in different types of facial pain and its relation to anxiety and depression: A cross-sectional study on 649 patients, **131**, 106
Descending facilitation
Neuropeptide Y acts at Y1 receptors in the rostral ventral medulla to inhibit neuropathic pain, **131**, 83
Diabetes
Gut sensations in diabetic autonomic neuropathy, **131**, 320
Disability
Disability in adolescents with chronic pain: Patterns and predictors across different domains of functioning, **131**, 132
Disability
The role of mindfulness in a contextual cognitive-behavioral analysis of chronic pain-related suffering and disability, **131**, 63
Disability
The impact of chronic low back pain on older adults: A comparative study of patients and controls, **131**, 293
Emotion
Changes in self-perceived role identity modulate pain perception, **131**, 191
Emotion
Effects of day-to-day affect regulation on the pain experience of patients with rheumatoid arthritis, **131**, 162
Evoked potentials
Inhibition of cortical responses to Aδ inputs by a preceding C-related response: Testing the "first come, first served" hypothesis of cortical laser evoked potentials, **131**, 341
Excision
Relief of post-herpetic neuralgia by surgical removal of painful skin: 5 years later, **131**, 214

Experience-dependent cortical plasticity
Alteration in the response properties of primary somatosensory cortex related to differential aversive Pavlovian conditioning, **131**, 171
Facial pain
Muscle tenderness in different types of facial pain and its relation to anxiety and depression: A cross-sectional study on 649 patients, **131**, 106
Factor structure
Fear of movement and (re)injury in chronic musculoskeletal pain: Evidence for an invariant two-factor model of the Tampa Scale for Kinesiophobia across pain diagnoses and Dutch, Swedish, and Canadian samples, **131**, 181
Fear of movement and injury
Fear of movement and (re)injury in chronic musculoskeletal pain: Evidence for an invariant two-factor model of the Tampa Scale for Kinesiophobia across pain diagnoses and Dutch, Swedish, and Canadian samples, **131**, 181
Fibromyalgia
Computerized cuff pressure algometry: A new method to assess deep-tissue hypersensitivity in fibromyalgia, **131**, 57
fMRI
Habituation to painful stimulation involves the antinociceptive system, **131**, 21
Free radical
Reactive oxygen species (ROS) are involved in enhancement of NMDA-receptor phosphorylation in animal models of pain, **131**, 262
Functional performance
The impact of chronic low back pain on older adults: A comparative study of patients and controls, **131**, 293
Gas chromatography
Altered spinal arachidonic acid turnover after peripheral nerve injury regulates regional glutamate concentration and neuropathic pain behaviors in rats, **131**, 121
Gender
Changes in self-perceived role identity modulate pain perception, **131**, 191
Genetics
Heritability of low back pain and the role of disc degeneration, **131**, 272
Glucocorticoid receptor
Central glucocorticoid receptors regulate the upregulation of spinal cannabinoid-1 receptors after peripheral nerve injury in rats, **131**, 96
Glutamate transporter
Altered spinal arachidonic acid turnover after peripheral nerve injury regulates regional glutamate concentration and neuropathic pain behaviors in rats, **131**, 121
Glutamate uptake
Altered spinal arachidonic acid turnover after peripheral nerve injury regulates regional glutamate concentration and neuropathic pain behaviors in rats, **131**, 121
Gut
Gut sensations in diabetic autonomic neuropathy, **131**, 320
Habituation
Habituation to painful stimulation involves the antinociceptive system, **131**, 21
Heat
Changes in self-perceived role identity modulate pain perception, **131**, 191
High pressure liquid chromatography
Altered spinal arachidonic acid turnover after peripheral nerve injury regulates regional glutamate concentration and neuropathic pain behaviors in rats, **131**, 121
HPA-axis
The relationship of allopregnanolone immunoreactivity and HPA-axis measures to experimental pain sensitivity: Evidence for ethnic differences, **131**, 142
Hyperalgesia
Central glucocorticoid receptors regulate the upregulation of spinal cannabinoid-1 receptors after peripheral nerve injury in rats, **131**, 96
Hyperalgesia
Characterisation of ultraviolet-B-induced inflammation as a model of hyperalgesia in the rat, **131**, 70
Hyperalgesia
Neuropeptide Y acts at Y1 receptors in the rostral ventral medulla to inhibit neuropathic pain, **131**, 83
Hyperalgesia
Reactive oxygen species (ROS) are involved in enhancement of NMDA-receptor phosphorylation in animal models of pain, **131**, 262
Hypersensitivity
The *Pain Genes Database*: An interactive web browser of pain-related transgenic knockout studies, **131**, 3
Inflammation
Characterisation of ultraviolet-B-induced inflammation as a model of hyperalgesia in the rat, **131**, 70
Inherited pain
The roles of sodium channels in nociception: Implications for mechanisms of pain, **131**, 243
Intervertebral disc
Heritability of low back pain and the role of disc degeneration, **131**, 272
Invariance
Fear of movement and (re)injury in chronic musculoskeletal pain: Evidence for an invariant two-factor model of the Tampa Scale for Kinesiophobia across pain diagnoses and Dutch, Swedish, and Canadian samples, **131**, 181
Jaw dysfunction
Back pain in relation to musculoskeletal disorders in the jaw-face: A matched case–control study, **131**, 311
Knockout
Anatomical and functional analysis of aquaporin 1, a water channel in primary afferent neurons, **131**, 8
Knockout
The *Pain Genes Database*: An interactive web browser of pain-related transgenic knockout studies, **131**, 3
Laser evoked potentials
Inhibition of cortical responses to Aδ inputs by a preceding C-related response: Testing the "first come, first served" hypothesis of cortical laser evoked potentials, **131**, 341
Lidocaine
Neuropeptide Y acts at Y1 receptors in the rostral ventral medulla to inhibit neuropathic pain, **131**, 83
Low back pain
Choice of external criteria in back pain research: Does it matter? Recommendations based on analysis of responsiveness, **131**, 112
Low back pain
Heritability of low back pain and the role of disc degeneration, **131**, 272
Lumbar region
Heritability of low back pain and the role of disc degeneration, **131**, 272
Matched case–control study
Back pain in relation to musculoskeletal disorders in the jaw-face: A matched case–control study, **131**, 311
Measurement
Development and preliminary psychometric evaluation of the parent report version of the Bath Adolescent Pain Questionnaire (BAPQ-P): A multidimensional parent report instrument to assess the impact of chronic pain on adolescents, **131**, 48
Microdialysis
Altered spinal arachidonic acid turnover after peripheral nerve injury regulates regional glutamate concentration and neuropathic pain behaviors in rats, **131**, 121

Microvascular decompression
Decision analysis of medical and surgical treatments for trigeminal neuralgia: How patient evaluations of benefits and risks affect the utility of treatment decisions, **131**, 302
Mindfulness
The role of mindfulness in a contextual cognitive-behavioral analysis of chronic pain-related suffering and disability, **131**, 63
Mouse
Anatomical and functional analysis of aquaporin 1, a water channel in primary afferent neurons, **131**, 8
MRI
Heritability of low back pain and the role of disc degeneration, **131**, 272
Multidisciplinary pain treatment
Changes after multidisciplinary pain treatment in patient pain beliefs and coping are associated with concurrent changes in patient functioning, **131**, 38
Muscle tenderness
Muscle tenderness in different types of facial pain and its relation to anxiety and depression: A cross-sectional study on 649 patients, **131**, 106
Musculoskeletal disorders
Back pain in relation to musculoskeletal disorders in the jaw-face: A matched case–control study, **131**, 311
Musculoskeletal manipulations
Comparison of general exercise, motor control exercise and spinal manipulative therapy for chronic low back pain: A randomized trial, **131**, 31
Musculoskeletal pain
Fear of movement and (re)injury in chronic musculoskeletal pain: Evidence for an invariant two-factor model of the Tampa Scale for Kinesiophobia across pain diagnoses and Dutch, Swedish, and Canadian samples, **131**, 181
Mutant
The *Pain Genes Database*: An interactive web browser of pain-related transgenic knockout studies, **131**, 3
Nerve injury
Altered spinal arachidonic acid turnover after peripheral nerve injury regulates regional glutamate concentration and neuropathic pain behaviors in rats, **131**, 121
Neuroelectric source imaging
Alteration in the response properties of primary somatosensory cortex related to differential aversive Pavlovian conditioning, **131**, 171
Neuropathic pain
Altered spinal arachidonic acid turnover after peripheral nerve injury regulates regional glutamate concentration and neuropathic pain behaviors in rats, **131**, 121
Neuropathic pain
Central glucocorticoid receptors regulate the upregulation of spinal cannabinoid-1 receptors after peripheral nerve injury in rats, **131**, 96
NMDA-receptor activation
Reactive oxygen species (ROS) are involved in enhancement of NMDA-receptor phosphorylation in animal models of pain, **131**, 262
Nociception
Anatomical and functional analysis of aquaporin 1, a water channel in primary afferent neurons, **131**, 8
Nociception
The *Pain Genes Database*: An interactive web browser of pain-related transgenic knockout studies, **131**, 3
Nociceptive neuron
The roles of sodium channels in nociception: Implications for mechanisms of pain, **131**, 243
Numbers needed to treat
Choice of external criteria in back pain research: Does it matter? Recommendations based on analysis of responsiveness, **131**, 112
Older adults
The impact of chronic low back pain on older adults: A comparative study of patients and controls, **131**, 293
ON and OFF cells
The antinociceptive effect of 2-chloro-2′-*C*-methyl-N^6-cyclopentyl-adenosine (2′-Me-CCPA), a highly selective adenosine A_1 receptor agonist, in the rat, **131**, 281
Pain
Alteration in the response properties of primary somatosensory cortex related to differential aversive Pavlovian conditioning, **131**, 171
Pain
Anatomical and functional analysis of aquaporin 1, a water channel in primary afferent neurons, **131**, 8
Pain
Changes in self-perceived role identity modulate pain perception, **131**, 191
Pain
Computerized cuff pressure algometry: A new method to assess deep-tissue hypersensitivity in fibromyalgia, **131**, 57
Pain
Disability in adolescents with chronic pain: Patterns and predictors across different domains of functioning, **131**, 132
Pain
Effects of day-to-day affect regulation on the pain experience of patients with rheumatoid arthritis, **131**, 162
Pain
Gut sensations in diabetic autonomic neuropathy, **131**, 320
Pain
Habituation to painful stimulation involves the antinociceptive system, **131**, 21
Pain
Inhibition of cortical responses to Aδ inputs by a preceding C-related response: Testing the "first come, first served" hypothesis of cortical laser evoked potentials, **131**, 341
Pain
The relationship of allopregnanolone immunoreactivity and HPA-axis measures to experimental pain sensitivity: Evidence for ethnic differences, **131**, 142
Pain assessment
Computerized cuff pressure algometry: A new method to assess deep-tissue hypersensitivity in fibromyalgia, **131**, 57
Pain catastrophizing
One day at a time: The impact of daily satisfaction with spouse responses on pain, negative affect and catastrophizing among individuals with rheumatoid arthritis, **131**, 202
Pain clinics
Comparison of general exercise, motor control exercise and spinal manipulative therapy for chronic low back pain: A randomized trial, **131**, 31
Pain tolerance
Changes in self-perceived role identity modulate pain perception, **131**, 191
Parents
Development and preliminary psychometric evaluation of the parent report version of the Bath Adolescent Pain Questionnaire (BAPQ-P): A multidimensional parent report instrument to assess the impact of chronic pain on adolescents, **131**, 48
Pathophysiology
Relief of post-herpetic neuralgia by surgical removal of painful skin: 5 years later, **131**, 214
Pavlovian conditioning
Alteration in the response properties of primary somatosensory cortex related to differential aversive Pavlovian conditioning, **131**, 171

PBN
Reactive oxygen species (ROS) are involved in enhancement of NMDA-receptor phosphorylation in animal models of pain, **131**, 262
Percutaneous glycerol rhizolysis
Decision analysis of medical and surgical treatments for trigeminal neuralgia: How patient evaluations of benefits and risks affect the utility of treatment decisions, **131**, 302
Periaqueductal grey
The antinociceptive effect of 2-chloro-2′-*C*-methyl-N^6-cyclopentyl-adenosine (2′-Me-CCPA), a highly selective adenosine A_1 receptor agonist, in the rat, **131**, 281
Peripheral nerves
Gut sensations in diabetic autonomic neuropathy, **131**, 320
PHN
Relief of post-herpetic neuralgia by surgical removal of painful skin: 5 years later, **131**, 214
Phospholipase A2
Altered spinal arachidonic acid turnover after peripheral nerve injury regulates regional glutamate concentration and neuropathic pain behaviors in rats, **131**, 121
Physical exercise
Comparison of general exercise, motor control exercise and spinal manipulative therapy for chronic low back pain: A randomized trial, **131**, 31
Primary sensory neuron
Anatomical and functional analysis of aquaporin 1, a water channel in primary afferent neurons, **131**, 8
Process analysis
Changes after multidisciplinary pain treatment in patient pain beliefs and coping are associated with concurrent changes in patient functioning, **131**, 38
Quantitative sensory testing
Cutaneous sensory abnormalities in children and adolescents with complex regional pain syndromes, **131**, 153
Quantitative somatosensory testing
The characteristics of chronic central pain after traumatic brain injury, **131**, 330
rACC
Habituation to painful stimulation involves the antinociceptive system, **131**, 21
Radiofrequency thermocoagulation
Decision analysis of medical and surgical treatments for trigeminal neuralgia: How patient evaluations of benefits and risks affect the utility of treatment decisions, **131**, 302
Rat
Characterisation of ultraviolet-B-induced inflammation as a model of hyperalgesia in the rat, **131**, 70
Rat
Neuropeptide Y acts at Y1 receptors in the rostral ventral medulla to inhibit neuropathic pain, **131**, 83
Reinnervation
Relief of post-herpetic neuralgia by surgical removal of painful skin: 5 years later, **131**, 214
Responsiveness
Choice of external criteria in back pain research: Does it matter? Recommendations based on analysis of responsiveness, **131**, 112
Rheumatoid arthritis
One day at a time: The impact of daily satisfaction with spouse responses on pain, negative affect and catastrophizing among individuals with rheumatoid arthritis, **131**, 202
Role-play
Changes in self-perceived role identity modulate pain perception, **131**, 191
Rostral ventromedial medulla
The antinociceptive effect of 2-chloro-2′-*C*-methyl-N^6-cyclopentyl-adenosine (2′-Me-CCPA), a highly selective adenosine A_1 receptor agonist, in the rat, **131**, 281
School attendance
Disability in adolescents with chronic pain: Patterns and predictors across different domains of functioning, **131**, 132
Self perception
Changes in self-perceived role identity modulate pain perception, **131**, 191
Social support
One day at a time: The impact of daily satisfaction with spouse responses on pain, negative affect and catastrophizing among individuals with rheumatoid arthritis, **131**, 202
Sodium channel
The roles of sodium channels in nociception: Implications for mechanisms of pain, **131**, 243
Sodium current
The roles of sodium channels in nociception: Implications for mechanisms of pain, **131**, 243
Somatosensory cortex
Alteration in the response properties of primary somatosensory cortex related to differential aversive Pavlovian conditioning, **131**, 171
Spared nerve injury
Neuropeptide Y acts at Y1 receptors in the rostral ventral medulla to inhibit neuropathic pain, **131**, 83
Spinal cord injury
A role for peripheral afferents in the pathophysiology and treatment of at-level neuropathic pain in spinal cord injury? A case report, **131**, 219
Spinal dorsal horn neuron
Reactive oxygen species (ROS) are involved in enhancement of NMDA-receptor phosphorylation in animal models of pain, **131**, 262
Temporomandibular disorders
Back pain in relation to musculoskeletal disorders in the jaw-face: A matched case–control study, **131**, 311
Thermode
Habituation to painful stimulation involves the antinociceptive system, **131**, 21
Thermosensory afferents
A role for peripheral afferents in the pathophysiology and treatment of at-level neuropathic pain in spinal cord injury? A case report, **131**, 219
Threshold
Computerized cuff pressure algometry: A new method to assess deep-tissue hypersensitivity in fibromyalgia, **131**, 57
Topical lidocaine
A role for peripheral afferents in the pathophysiology and treatment of at-level neuropathic pain in spinal cord injury? A case report, **131**, 219
Transition question
Choice of external criteria in back pain research: Does it matter? Recommendations based on analysis of responsiveness, **131**, 112
Traumatic brain injury
The characteristics of chronic central pain after traumatic brain injury, **131**, 330
Trigeminal neuralgia
Decision analysis of medical and surgical treatments for trigeminal neuralgia: How patient evaluations of benefits and risks affect the utility of treatment decisions, **131**, 302
TSK
Fear of movement and (re)injury in chronic musculoskeletal pain: Evidence for an invariant two-factor model of the Tampa Scale for Kinesiophobia across pain diagnoses and Dutch, Swedish, and Canadian samples, **131**, 181

Twin studies
Heritability of low back pain and the role of disc degeneration, **131**, 272
Ultrasonography
Comparison of general exercise, motor control exercise and spinal manipulative therapy for chronic low back pain: A randomized trial, **131**, 31
Ultraviolet-B
Characterisation of ultraviolet-B-induced inflammation as a model of hyperalgesia in the rat, **131**, 70
Zoster
Relief of post-herpetic neuralgia by surgical removal of painful skin: 5 years later, **131**, 214

Pain 131 (2007) 360–362

PAIN

www.elsevier.com/locate/pain

Contents to Volume 131 (2007)

Numbers 1–2 – September 2007

EDITORIAL

Pain catastrophizing in the context of satisfaction with spousal responses: New perspectives and new opportunities
F.J. Keefe, L. Porter (USA) 1

e-PAIN ARTICLE

The *Pain Genes Database*: An interactive web browser of pain-related transgenic knockout studies
M.L. LaCroix-Fralish, J.B. Ledoux, J.S. Mogil (Canada) 3

TOPICAL REVIEW

Chronic itch and chronic pain: Analogous mechanisms
G. Yosipovitch, E. Carstens, F. McGlone (USA, UK) 4

RESEARCH PAPERS

Anatomical and functional analysis of aquaporin 1, a water channel in primary afferent neurons
S.D. Shields, J. Mazario, K. Skinner, A.I. Basbaum (USA) 8

Habituation to painful stimulation involves the antinociceptive system
U. Bingel, E. Schoell, W. Herken, C. Büchel, A. May (Germany) 21

Comparison of general exercise, motor control exercise and spinal manipulative therapy for chronic low back pain: A randomized trial
M.L. Ferreira, P.H. Ferreira, J. Latimer, R.D. Herbert, P.W. Hodges, M.D. Jennings, C.G. Maher, K.M. Refshauge (Brazil, Australia) 31

Changes after multidisciplinary pain treatment in patient pain beliefs and coping are associated with concurrent changes in patient functioning
M.P. Jensen, J.A. Turner, J.M. Romano (USA) 38

Development and preliminary psychometric evaluation of the parent report version of the Bath Adolescent Pain Questionnaire (BAPQ-P): A multidimensional parent report instrument to assess the impact of chronic pain on adolescents
C. Eccleston, L.M. McCracken, A. Jordan, M. Sleed (UK) 48

Computerized cuff pressure algometry: A new method to assess deep-tissue hypersensitivity in fibromyalgia
A. Jespersen, L. Dreyer, S. Kendall, T. Graven-Nielsen, L. Arendt-Nielsen, H. Bliddal, B. Danneskiold-Samsoe (Denmark) 57

The role of mindfulness in a contextual cognitive-behavioral analysis of chronic pain-related suffering and disability
L.M. McCracken, J. Gauntlett-Gilbert, K.E. Vowles (UK) 63

Characterisation of ultraviolet-B-induced inflammation as a model of hyperalgesia in the rat
T. Bishop, D.W. Hewson, P.K. Yip, M.S. Fahey, D. Dawbarn, A.R. Young, S.B. McMahon (UK) 70

Neuropeptide Y acts at Y1 receptors in the rostral ventral medulla to inhibit neuropathic pain
B.K. Taylor, S.S. Abhyankar, N.T. Vo, C.L. Kriedt, S.B. Churi, J.H. Urban (USA) 83

Central glucocorticoid receptors regulate the upregulation of spinal cannabinoid-1 receptors after peripheral nerve injury in rats
S. Wang, G. Lim, J. Mao, B. Sung, L. Yang, J. Mao (USA) 96

Muscle tenderness in different types of facial pain and its relation to anxiety and depression: A cross-sectional study on 649 patients
F. Mongini, G. Ciccone, M. Ceccarelli, I. Baldi, L. Ferrero (Italy) 106

Choice of external criteria in back pain research: Does it matter? Recommendations based on analysis of responsiveness
H.H. Lauridsen, J. Hartvigsen, L. Korsholm, N. Grunnet-Nilsson, C. Manniche (Denmark) 112

Altered spinal arachidonic acid turnover after peripheral nerve injury regulates regional glutamate concentration and neuropathic pain behaviors in rats
B. Sung, S. Wang, B. Zhou, G. Lim, L. Yang, Q. Zeng, J.-A. Lim, J.D. Wang, J.X. Kang, J. Mao (USA) 121

e Additional material available online.

doi:10.1016/S0304-3959(07)00496-4

Disability in adolescents with chronic pain: Patterns and predictors across different domains of functioning
J. Gauntlett-Gilbert, C. Eccleston (UK) 132
The relationship of allopregnanolone immunoreactivity and HPA-axis measures to experimental pain sensitivity: Evidence for ethnic differences
B. Mechlin, A.L. Morrow, W. Maixner, S.S. Girdler (USA) 142
Cutaneous sensory abnormalities in children and adolescents with complex regional pain syndromes
N.F. Sethna, P.M. Meier, D. Zurakowski, C.B. Berde (USA) 153
Effects of day-to-day affect regulation on the pain experience of patients with rheumatoid arthritis
M. Connelly, F.J. Keefe, G. Affleck, M.A. Lumley, T. Anderson, S. Waters (USA) 162
Alteration in the response properties of primary somatosensory cortex related to differential aversive Pavlovian conditioning
E. Diesch, H. Flor (Germany) 171
Fear of movement and (re)injury in chronic musculoskeletal pain: Evidence for an invariant two-factor model of the Tampa Scale for Kinesiophobia across pain diagnoses and Dutch, Swedish, and Canadian samples
J. Roelofs, J.K. Sluiter, M.H.W. Frings-Dresen, M. Goossens, P. Thibault, K. Boersma, J.W.S. Vlaeyen (The Netherlands, Canada, Sweden, Belgium) 181
Changes in self-perceived role identity modulate pain perception
E. Kut, N. Schaffner, A. Wittwer, V. Candia, M. Brockmann, C. Storck, G. Folkers (Switzerland) 191
One day at a time: The impact of daily satisfaction with spouse responses on pain, negative affect and catastrophizing among individuals with rheumatoid arthritis
S. Holtzman, A. DeLongis (Canada) 202

CLINICAL NOTES

Relief of post-herpetic neuralgia by surgical removal of painful skin: 5 years later
K.L. Petersen, M.C. Rowbotham (USA) 214
A role for peripheral afferents in the pathophysiology and treatment of at-level neuropathic pain in spinal cord injury? A case report
G. Wasner, D. Naleschinski, R. Baron (Australia, Germany) 219

LETTERS TO THE EDITOR

Letter to the Editor of Pain on Jørum et al: Catecholamine-induced excitation of nociceptors in sympathetically maintained pain; Pain 2007;127:296–301
J.L. Ochoa (USA) 226
Response to the "Letter to the Editor of Pain" by Prof. J. Ochoa
E. Jørum, H. Handwerker, M. Schmelz (Germany) 228
How clinically relevant is a meta-analysis of electrical nerve stimulation when based on heterogeneous disease states?
S. Novak, W.C. Nemeth (USA) 228
Rebuttal to comments by Drs. Novak and Nemeth
M. Johnson, M.S. Martinson (USA) 229

Pain: Clinical Updates:

Fear and Pain. Geert Crombez and Johan Vlaeyen
Pain and Philosophy. Alex Cahana
Chronic Pain and Cognitive Impairment. Shulameth Kreitler and David Niv
Ketamine – does life begin at 40? G. Hocking, E. Visser, S.A. Schug, and M.J. Cousins

www.iasp-pain.org/Publications/PCU

Number 3 – October 2007

OBITUARY

David Niv 1950–2007
M. Devor (Israel) 231

EDITORIALS

Quality of life and individual treatment choice in trigeminal neuralgia
F.G. Barker (USA) 234
Chronic pain syndromes: You can't have one without another
P. Croft, K.M. Dunn, M. Von Korff (UK, USA) 237

The diabetic gut – both aching and unfeeling?
C.K. Rayner, K.L. Jones, L. Ashley Blackshaw, M. Horowitz (Australia) 239
Central pain after brain trauma – A neglected problem in neglected victims
O. Tenovuo (Finland) 241

COMPREHENSIVE REVIEW

The roles of sodium channels in nociception: Implications for mechanisms of pain
T.R. Cummins, P.L. Sheets, S.G. Waxman (USA) 243

TOPICAL REVIEW

Applying the fear-avoidance model to the chronic whiplash syndrome
K. Vangronsveld, M. Peters, M. Goossens, S. Linton, J. Vlaeyen (The Netherlands, Sweden, Belgium) 258

RESEARCH PAPERS

Reactive oxygen species (ROS) are involved in enhancement of NMDA-receptor phosphorylation in animal models of pain
X. Gao, H.K. Kim, J.M. Chung, K. Chung (USA) 262
Heritability of low back pain and the role of disc degeneration
M.C. Battié, T. Videman, E. Levalahti, K. Gill, J. Kaprio (Canada, Finland, USA) 272
The antinociceptive effect of 2-chloro-2′-*C*-methyl-N^6-cyclopentyladenosine (2′-Me-CCPA), a highly selective adenosine A_1 receptor agonist, in the rat
S. Maione, V. de Novellis, L. Cappellacci, E. Palazzo, D. Vita, L. Luongo, L. Stella, P. Franchetti, I. Marabese, F. Rossi, M. Grifantini (Italy) 281
The impact of chronic low back pain on older adults: A comparative study of patients and controls
T.E. Rudy, D.K. Weiner, S.J. Lieber, J. Slaboda, J.R. Boston (USA) 293
Decision analysis of medical and surgical treatments for trigeminal neuralgia: How patient evaluations of benefits and risks affect the utility of treatment decisions
A.L. Spatz, J.M. Zakrzewska, E.J. Kay (UK) 302
Back pain in relation to musculoskeletal disorders in the jaw-face: A matched case–control study
B. Wiesinger, H. Malker, E. Englund, A. Wänman (Sweden) 311
Gut sensations in diabetic autonomic neuropathy
J.B. Frøkjær, S.D. Andersen, N. Ejskjær, P. Funch-Jensen, L. Arendt-Nielsen, H. Gregersen, A.M. Drewes (Denmark) 320
The characteristics of chronic central pain after traumatic brain injury
H. Ofek, R. Defrin (Israel) 330
Inhibition of cortical responses to Aδ inputs by a preceding C-related response: Testing the "first come, first served" hypothesis of cortical laser evoked potentials
A. Truini, F. Galeotti, G. Cruccu, L. Garcia-Larrea (Italy, France) 341

LETTERS TO THE EDITOR

Comment on Blyth et al. The contribution of psychosocial factors to the development of chronic pain: The key to better outcomes for patients? Pain 2007;129:8–11
M. Nielsen (Australia) 348
Response to Ms. Nielsen's Letter to the Editor of Pain
F.M. Blyth, G.J. Macfarlane, M.K. Nicholas (Australia) 349

ERRATUM

Erratum to "Opioid dependence and addiction during opioid treatment of chronic pain" [Pain 129 (2007) 235–255]
J.C. Ballantyne, K.S. LaForge (USA, Finland) 350

Author Index to Volume 131 351
Subject Index to Volume 131 354
Contents to Volume 131 360